




DETAIL A  
SCALE 5 : 1





MATERIAL  
 CAGE: NICKEL SILVER  
 HEAT SINK: ALUMINUM  
 HEAT SINK CLIP: STAINLESS STEEL  
 EMI SPRING: STAINLESS STEEL  
 LIGHT PIPE: PC



FINISH  
 HEAT SINK: ANODE PROCESS



TITLE: QSFP+ 1X1 Cage Assembly w/ Light Pipe & Heat Sink			
DWG#: R-OR-Q1-4CME5		SHEET: 1/4	REV. E
UNIT: mm	SCALE: A4 1:1	FINISH:	CHECKED: Gary Kang
TOLERANCE: Angle: ± 1° X.± 0.25 .X± 0.20 .XX± 0.15		MATERIAL: RoHS Compliant	APPROVED: George Yang
THIRD ANGLE PROJECTION		DRAWN: Howard	DATE: 05/28/2021



ONE SIDED CONFIGURATION





BELLY TO BELLY CONFIGURATION


C=THICKNESS OF PC BOARD  
 SINGLE SIDED=1.6MM(MIN)  
 DOUBLE SIDE=2.2MM(MIN)

	TITLE: QSFP+ 1X1 Cage Assembly w/ Light Pipe & Heat Sink			SHEET: 2/4		REV. E	
	DWG#: R-OR-Q1-4CME5			CHECKED: Gary Kang		APPROVED: George Yang	
	UNIT: mm	SCALE: A4 1:1	FINISH:	MATERIAL: RoHS Compliant		DATE: 05/28/2021	
	TOLERANCE: X± 0.15 .X± 0.10 .XX± 0.05		THIRD ANGLE PROJECTION	DRAWN: Howard			

A B C D E F G H

1  
2  
3  
4  
5  
6  
7  
8






 <b>ALL BEST</b> <b>ELECTRONICS</b> <b>CO., LTD.</b>	TITLE: QSFP+ 1X1 Cage Assembly w/ Light Pipe & Heat Sink		
	DWG#: R-OR-Q1-4CME5		SHEET: 3/4
	UNIT: mm	SCALE: A4 1:1	FINISH:
	TOLERANCE: X± 0.15 .X± 0.10 .XX± 0.05		MATERIAL: <b>RoHS Compliant</b>
THIRD ANGLE PROJECTION		DRAWN: Howard	REV. E
		APPROVED: George Yang	CHECKED: Gary Kang
		DATE: 05/28/2021	

A B C D E F G H

A B C D E F G H

1  
2  
3  
4  
5  
6  
7  
8



 <b>ALL BEST</b> ALL BEST ELECTRONICS CO., LTD.	TITLE: QSFP+ 1X1 Cage Assembly w/ Light Pipe & Heat Sink		SHEET: 4/4	REV. E
	DWG#: R-OR-Q1-4CME5		CHECKED: Gary Kang	
	UNIT: mm	SCALE: A4 1:1	FINISH:	APPROVED: George Yang
	TOLERANCE: Angle: ± 1° X ± 0.15 .X ± 0.10 .XX ± 0.05		MATERIAL: RoHS Compliant	DATE: 05/28/2021
		THIRD ANGLE PROJECTION	DRAWN: Howard	

A B C D E F G H